


How to manage Custom DLL at Screen Pop Configuration

Step-by-step guide

- Go to Linkscope Web application and if you're not already signed in, select **Sign in**.
- From the Linkscope Web application, you click to **Configuration ? Screen Pop? Custom DLL** at the menu.



ADD NEW A CUSTOM DLL FILE

1. On **Upload new custom DLL** label, click **Select files** button.

Custom DLL

Upload new custom DLL

Select files...

DLL Code


Version

Feature
Screen Pop

Active

Upload DLL

2. Select a DLL file that you want to import and click **Open** button.



3. You enter **DLL Code** (optional), select a **Feature** and check **Active**. Then click **Upload DLL** button.

Custom DLL

Upload new custom DLL

Select files...

CustomDLL.dll

DLL Code


Version
2.0.0.12532

Feature
E Pop

Active





Upload DLL

If the system shows this message, you created successfully a DLL Custom.




INACTIVE/REACTIVE A DLL CUSTOM


1. On **Custom DLL** table, select any row you want to Inactive/Reactive.

Name	Code	Version	Feature	Date Uploaded	Active	Download
CustomDLL.dll		2.0.0.12532	E Pop	2019/08/26 16:41:28 PM	<input checked="" type="checkbox"/>	 
UWCustomDLL.dll		2.0.0.12532	Screen Pop	2019/08/21 18:01:11 PM	<input type="checkbox"/>	 

2. Click  button. If you want to **Inactive** that user. There're alert displays after you click to this button. Select **OK**.








- If you want to **Reactive** that user, click  button. There're alert displays after you click to this button. Select **OK**.




DELETE A DLL CUSTOM

1. On **Custom DLL** table, select any row you want to delete the DLL Custom.

Name	Code	Version	Feature	Date Uploaded	Active	Download
CustomDLL.dll		2.0.0.12532	E Pop	2019/08/26 16:41:28 PM	<input checked="" type="checkbox"/>	 
UWCustomDLL.dll		2.0.0.12532	Screen Pop	2019/08/21 18:01:11 PM	<input type="checkbox"/>	 

2. Click  button on that row.
3. There're alert displays after you click to this button. Select **OK**.







If the system shows this message, you deleted successfully a DLL Custom file.





DOWNLOAD A DLL CUSTOM FILE

1. On **Custom DLL** table, select any row you want to download the DLL Custom.

Name	Code	Version	Feature	Date Uploaded	Active	Download
CustomDLL.dll		2.0.0.12532	E Pop	2019/08/26 16:41:28 PM	<input checked="" type="checkbox"/>	 
UWCustomDLL.dll		2.0.0.12532	Screen Pop	2019/08/21 18:01:11 PM	<input type="checkbox"/>	 

1 - 2 of 2 items

2. Click  button on that row.
3. Check the **File Name**, **Save as type** (*DLL file). Then click **Save** button.



Related articles

- [Guideline How To Use The Agent Dashboard](#)
- [How to manage API User at General Configuration](#)
- [How to manage Postcall Survey Configuration](#)
- [How to manage User Setting at Screen Pop Configuration](#)
- [How to manage FQ Config at FreedomQ Configuration](#)